


This drawing is provisional and subject to our reconfirmation and/or revision without notice.

DH1~DH2=20947 (±30)

Coordinates

| 記号 | X | Y | R |
|-----|--------|--------|------|
| GM | 0 | 0 | |
| DH1 | -10813 | -2722 | |
| DH2 | 10022 | -4886 | |
| a1 | 8364 | 8889 | 1200 |
| a2 | -8455 | 8802 | 1200 |
| a3 | -8078 | -10529 | 2000 |
| a4 | -7303 | -11081 | 2000 |
| a5 | 8494 | -10197 | 2000 |
| a6 | 9203 | -9562 | 2000 |





Section PB1,2

Section a1~a6

| | | | |
|------------------|----------|--------------------|-----------------------|
| △5 | Quantity | 1/1000mm | Cal No.: FS10 |
| △4 | Unit | 8/1 | Parts No.: |
| △3 | Scale | Date | Name |
| △2 | Drawn | M. Fukuda | Name: |
| △1 | Date | Approved | Frame for Case |
| Mark Description | | Checked | Drawing No.: FS10C000 |
| Alterations | | Approved | |
| Material | | General Tolerances | |
| Heat Treatment | | Dimensions | |
| Hardness | | Angles | |
| Plating | | | |

This drawing is provisional and subject to our reconfirmation and/or revision without notice.



*** T I P W *** (01) *** (2100 1121) 03-02-14 30.0

| | | | | | | |
|----------------|--|--------------------|-----------|---------------|----------------------|----------|
| 7 | | Quantity | | Cal. No. : | FS10-00A | |
| 6 | | Unit | 1/1000 mm | Parts: | | |
| 5 | | Scale | 6:1 | Name: | Indications for Dial | |
| 4 | | Date | | Drawing No. : | | FS10D000 |
| 3 | | Drawn | | | | |
| 2 | | Checked | M. Fukuda | | | |
| 1 | | Approved | | | | |
| Material | | | | | | |
| Heat Treatment | | General Tolerances | | | | |
| Hardness | | Dimensions | | | | |
| Plating | | Angles | | | | |